

# H-29

## *Pushprop Fighter Jet.*

### Specs:

WS = 47.5 cm

WA = 6.7 dm<sup>2</sup>

L = 57cm

m = 175g

Power: ~~600~~mAh 11V/5A CDR-motor



GWS prop clipped to 5.5x5

Setup: 2 servos / tailerons

## Have fun!

(c) chara Sep.'07 - V1.0

(free for non-commercial use)



Find more details on:


<http://www.rcgroups.com/forums/showthread.php?t=738825#post8128975>

# A few instructions....

All is made out of 6mm depron or equivalent.  
I use hot glue and tape exclusively.


## Basic parts assembly:

- glue/tape the wings and nose to the body.
- Hinge the tailerons to the tail.
- glue the servos to their place




- align tail and body and connect them by using two balsa sticks (6x6x205mm).
- Leave 6cm gap for the prop.

- cut out slots for the servos and hot glue nacelles to body (balsa) and tail.




- glue/tape a bamboo-skewer to the TE of the body for stiffening it up




- fill the little gap with a piece of depron in order to obtain a level surface and then hot glue the fins in place


# Simple parts:

no template needed for them.  
take measurements and  
draw directly to foam sheet.  
(unit = cm)



## 3 view





The image contains two diagrams of a fuselage. The left diagram is a top view, showing a narrow, elongated shape that tapers to a point at the top. It is filled with a light cyan color. The right diagram is a side wall view, showing a wider, elongated shape that also tapers to a point at the top but has a more rounded, curved profile. It is filled with a darker teal color.

**Fuselage  
top**

**Fuselage  
side wall  
2x**

